



Jurisdiction Profile:

# Asthma in Queen Anne's County

## Background

**What is Asthma?** Asthma is a controllable, chronic lung disease characterized by inflammation of the airways that leads to reversible airway constriction and excess mucus secretion. Narrowing of the airways results in reduced airflow that may cause symptoms of wheezing, coughing, tightness of the chest, and difficulty breathing.

Asthma is a serious and complex chronic respiratory disease with no known cure that currently affects an estimated 823,000 Maryland adults and children. In 2009, asthma in Maryland resulted in 11,474 hospitalizations, 39,834 visits to hospital emergency departments, thousands of hours of lost school and work days, and 67 deaths. Maryland costs for asthma in hospital and emergency departments totaled over \$99 million in 2009. Due to the burden on patients, families, and society, asthma is considered a major public health concern in Maryland and nationally.


Queen Anne's County Population Demographics, 2009		
Race	White	43,135
	Black	16,060
Age	0 - 4 yrs	2,759
	5 - 17 yrs	8,511
	18 - 64 yrs	29,822
	65+ yrs	6,866
	Total	47,958

**Data** in this report are from Maryland's Behavioral Risk Factor Surveillance System (BRFSS), Maryland Health Services Cost Review Commission (HSCRC), and Maryland's Vital Statistics Administration (VSA). Rates are calculated based on population statistics from the CDC's National Center for Health Statistics (NCHS) vintage population files. Data have been age-adjusted to the 2000 U.S. estimated population where noted. Since some Maryland residents are hospitalized in neighboring states, data on hospitalization of Maryland residents from Delaware, Pennsylvania\*, Washington D.C., and West Virginia are included when possible.


## Prevalence

Statewide in 2009, approximately 594,609 (13.9%) Maryland adults had a history of asthma. In Queen Anne's County, approximately 10.2% of adult residents had been diagnosed with asthma. Of these, 5.4% reported that they currently have asthma, representing approximately 1,923 adults in Queen Anne's County.

While asthma is one of the most common illnesses among children, there is little reliable county level data on the prevalence of asthma in children.



Maryland BRFSS, 2000-2009.



Maryland BRFSS, 2000-2009.

\* "The Pennsylvania Health Care Cost Containment Council (PHC4) is an independent state agency responsible for addressing the problem of escalating health costs, ensuring the quality of health care, and increasing access to healthcare for all citizens regardless of ability to pay. PHC4 has provided data to this entity in an effort to further PHC4's mission of educating the public and containing health care costs in Pennsylvania. PHC4, its agents, and staff, have made no representation, guarantee, or warranty, expressed or implied, that the data -- financial, patient, payor, and physician specific information -- provided to this entity, are error-free, or that the use of the data will avoid differences of opinion or interpretation. This analysis was not prepared by PHC4. This analysis was done by MACP. PHC4, its agents and staff, bear no responsibility or liability for the results of the analysis, which are solely the opinion of MACP."

## Emergency Department Visits

### Asthma Emergency Department Visit Rates (per 10,000) Queen Anne's County vs. Maryland, 2009

Age	Queen Anne's County		Maryland	
	n	Rate	n	Rate
Children 0 - 4 yrs	--	--	7,443	195.6
5 - 17 yrs	24	27.7	11,077	114.7
< 18 yrs	35	30.6	18,520	136.1
Adults 18 - 64 yrs	53	20.9	20,296	56.3
65+ yrs	--	--	1,018	14.7
≥ 18 yrs	59	18.9	21,314	50.3
Total	94	22.1	39,834	72.3


Maryland HSCRC, 2009.

<sup>a</sup> Rates are age-adjusted to the 2000 U.S. standard population.

<sup>b</sup> Rates based on ≤ 20 counts are considered unreliable and are not displayed.

In Queen Anne's County, the asthma ED visit rate was approximately comparable between White and Black residents (17.3 vs. 15.7 per 10,000).

The asthma ED visit rate in Queen Anne's County was lower in both race categories compared to Maryland.




Maryland HSCRC, 2009.

<sup>a</sup> Rates are age-adjusted to the 2000 U.S. standard population.

Rates based on the few ED visits for asthma among 0 to 4 and 65+ residents in Queen Anne's County are unstable and are not reported. Queen Anne's County ED visit rates met the Healthy People 2010 goals for 5 to 64 year olds in 2009.

Maryland ED visit rates exceeded Healthy People 2010 goals for all age groups with the exception of the adult age group of 65 years of age and older.



Maryland HSCRC, 2009; DATA2010 Healthy People 2010 Database, U.S. DHHS, 2010.

<sup>a</sup> Rates are age-adjusted to the 2000 U.S. standard population.

<sup>b</sup> Missing bars indicate that rates are unavailable based on low counts and unreliability.

## Hospitalizations

### Asthma Hospitalization Rates (per 10,000) Queen Anne's County vs. Maryland, 2009

Age	Queen Anne's County		Maryland	
	n	Rate	n	Rate
Children 0 - 4 yrs	--	--	1,834	48.2
5 - 17 yrs	--	--	1,400	17.4
< 18 yrs	--	--	2,976	25.4
Adults 18 - 64 yrs	30	9.2	5867	9.5
65+ yrs	--	--	2,087	30.0
≥ 18 yrs	46	10.9	7954	13.2
Total	59	11.8	11,474	19.8

MD HSCRC, DE Dept of Health, PA Health Care Cost Containment Council, WV Health Care Authority, 2009.

<sup>a</sup> Rates are age-adjusted to the 2000 U.S. standard population.

<sup>b</sup> Includes Maryland residents hospitalized in Delaware, Pennsylvania, Washington D.C., and West Virginia (MD county data not available for Delaware hospitalizations; MD state data only includes Delaware for total, 0-4, and 65+ due to age groupings).

<sup>c</sup> Rates based on ≤ 20 counts are considered unreliable and are not displayed.

In Queen Anne's County, the asthma hospitalization rate was comparable between White and Black residents (9.2 vs. 10.3 per 10,000).

The asthma hospitalization rates in Black residents was 3.3 times lower in Queen Anne's County compared to Maryland.


Rates based on the few hospitalizations for asthma among 0 to 4 and 65+ residents in Queen Anne's County are unstable and are not reported. Queen Anne's County hospitalizations rates for 5 to 64 year olds exceeded the Healthy People 2010 goals in 2009.

In 2009, Maryland exceeded the Healthy People 2010 asthma hospitalization rate goals for all age groups.

There were 59 hospitalizations for asthma as a principal diagnosis in Queen Anne's County in 2009, resulting in an age-adjusted rate of 11.8 per 10,000.


The hospitalization rate for asthma among adult residents (≥ 18 years) in Queen Anne's County was comparable to the hospitalization rate for Maryland adults as a whole (10.9 vs. 13.2 per 10,000).

Rates based on the few hospitalizations visits for asthma among children Queen Anne's County are unstable and are not reported.



Maryland HSCRC, 2009; Pennsylvania Health Care Cost Containment Council, 2009.

<sup>a</sup> Rates are age-adjusted to the 2000 U.S. standard population.



MD HSCRC, DE Dept of Health, PA Health Care Cost Containment Council, WV Health Care Authority, 2009.

<sup>a</sup> Rates are age-adjusted to the 2000 U.S. standard population.

<sup>b</sup> Includes Maryland residents hospitalized in Delaware, Pennsylvania, Washington D.C., and West Virginia (MD county data not available for Delaware hospitalizations; MD state data only includes Delaware for total, 0-4, and 65+ due to age groupings).

<sup>c</sup> Missing bars indicate that rates are unavailable based on low counts and unreliability.

## Cost of Asthma

The average cost per asthma ED visit for children was \$729 in Queen Anne's County and \$658 in Maryland. The average cost per asthma ED visit for adults was \$837 in Queen Anne's County and \$647 for Maryland. The total average cost for an asthma ED visit in Queen Anne's County was found to be statistically different than the state of Maryland.

In Queen Anne's County, private insurance was the source of payment for approximately 46.8% of asthma ED visits, while public insurance was the source of 36.2% of the visits.

Private insurance was the source of payment for approximately 34.2% of asthma ED visits in Maryland, while public insurance was the source for 45.6% of the visits.

The average cost per asthma hospitalization for children was \$6,375 in Queen Anne's County and \$5,403 in Maryland. The average cost per asthma hospitalization for adults was \$6,826 in Queen Anne's County and \$7,397 in Maryland. The total average cost for an asthma hospitalization in Queen Anne's County was not found to be statistically different than the state of Maryland.

In Queen Anne's County, private insurance was the source of payment for approximately 36.2% of all 2009 asthma hospitalizations, while public insurance was the source of 50% of the stays.

Private insurance was the source of payment for 30.6% of asthma hospitalizations in Maryland, while public insurance was the source for 60% of the asthma hospitalizations.

### Costs per Emergency Room Visit for Asthma, 2009

Age	Queen Anne's County		Maryland	
	Average	Total	Average	Total
Children (0-17 yrs)	\$729	\$25,516	\$658	\$12,188,425
Adults (18+ yrs)	\$837	\$49,390	\$647	\$13,795,690
Total	\$797	\$74,906	\$652	\$25,984,115

Maryland HSCRC, 2009.

### Source of Payment for Asthma Emergency Room Visits, 2009

Source of Payment	Queen Anne's County	Maryland
Medicare	6.4%	5.2%
Medicaid	29.8%	40.4%
Private Insurance	46.8%	34.2%
Self Pay/Charity	16.0%	18.6%
Other/Unknown	1.0%	1.6%

Maryland HSCRC, 2009.

### Costs per Hospitalization for Asthma, 2009

Age	Queen Anne's County		Maryland	
	Average	Total	Average	Total
Children (0-17 yrs)	\$6,375	\$76,494	\$5,403	\$16,078,883
Adults (18+ yrs)	\$6,826	\$313,973	\$7,397	\$57,274,922
Total	\$6,732	\$390,467	\$6,843	\$73,353,805

Maryland HSCRC, 2009.

### Source of Payment for Asthma Hospitalizations, 2009

Source of Payment	Queen Anne's County	Maryland
Medicare	32.8%	26.0%
Medicaid	17.2%	34.0%
Private Insurance	36.2%	30.6%
Self Pay/Charity	8.6%	7.7%
Other/Unknown	5.2%	1.7%

Maryland HSCRC, 2009.

This publication was supported by Cooperative Agreement Number EH000497-01 from the Centers for Disease Control and Prevention (CDC). Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the CDC.